

REQUEST FOR QUOTATION

TWO (2) MOBILE WATER SUPPLY FIRE APPARTUS (PUMPER TANKERS)

Quote No.

2026-004

Bid Closing: January 29, 2026

Joie de vivre





West Nipissing Ouest

MUNICIPALITY OF WEST NIPISSING

RFQ TWO (2) MOBILE WATER SUPPLY APPARATUS (PUMPER TANKERS)

SECTION 1.0

INSTRUCTION TO BIDDERS

INVITATION TO QUOTE

The Municipality of West Nipissing is seeking to purchase two (2) new 2,000 gallon mobile water supply fire apparatus (pumper tankers).

Owner: Municipality of West Nipissing

101-225, Holditch Street

Sturgeon Falls, On P2B 1T1

Phone: 705-753-2250

Fax: 705-753-3950

BID SUBMISSION

- 1.0)** Bid documents must be submitted in one of the approved formats before 3:00 pm (local time) on January 29, 2025 (the “Official Closing Time”)
 - i) In a sealed envelope clearly marked “Two (2) Mobile Water Supply Fire Apparatus” complete with bidder’s Company name and Quotation reference number to Municipality of West Nipissing, 101-225 Holditch Street, Sturgeon Falls, Ontario P2B 1T1
 - ii) Bid Electronic bid submission through MERX or in the form of a password protected pdf document to bids@westnipissing.ca. Bids submitted by email shall include the Bid reference number in the subject line. After the official closing time, respondents will be requested to submit the password).
- 1.2)** Bids submitted by facsimile will not be considered.
- 1.3)** All pages contained in the bid documents form an integral part of this bid.
- 1.4)** The lowest or any bid will not necessarily be accepted. The owner may decide, at its sole discretion, that no bid submitted will be accepted and no contract will be awarded pursuant to this bid process. If the owner elects to reject all bids, all bidders will be notified and the owner will not be liable to any bidder in preparing the bid, damages, loss of anticipated profit in connection with the work, or any matter whatsoever.
- 1.5)** Bidders are required to check the Municipality of West Nipissing website for addenda issued before the closing date and time. If the contract administrator determines that an amendment is required to the bid documents, the contract administrator will prepare an addenda and post it to the Municipality of West Nipissing website.
- 1.6)** Partial or incomplete bids will not be considered.
- 1.7)** In case of a corporation that has a corporate seal, the corporate seal shall be affixed to the bid form.

QUESTIONS AND CLARIFICATIONS

2.0) Enquiries, request for explanation, interpretations or clarifications must be submitted by email to floeffen@wnfs.ca. Only those inquiries submitted by email will be considered. Emails submitted must include the quotation title and quotation reference number.

2.1) Enquiries will be received up to noon local time on January 23, 2026. Enquiries received after the date and time noted will not receive a response.

BID OPENING

3.0) Bids will be opened privately.

3.1) Bid received after the official closing time is considered LATE, and will not be accepted and will be returned unopened to the bidder.

ADJUSTMENT OR WITHDRAWAL OF BIDS

4.0) Adjustment by telephone, facsimile or letter for a bid already received will not be considered. A bidder desiring to make adjustment to a bid must withdraw the submission and/or supersede it with another offer.

4.1) Bidders may withdraw its bid at any time prior to closing provided the withdrawal:

- i) is in the form of a letter and,
- ii) state the name of the bidder and clearly identifies the bid that is being withdrawn and;
- iii) is signed by the bidder's duly authorized signing officer;

BID DOCUMENT DISCREPANCIES AND OMISSION

5.0) Bidders are responsible to review the bid documents and to verify they are complete. If the bidder finds discrepancies or omissions from the drawings, specifications and other documents, the bidder should submit a written request for correction to the contract administrator. Any required correction, addition, deletion or revision to the bid documents will be by written addenda to the bid documents issued by the contract administrator by posting to the Municipality of West Nipissing website.



West Nipissing Ouest

MUNICIPALITY OF WEST NIPISSING

RFQ TWO (2) MOBILE WATER SUPPLY APPARATUS (PUMPER TANKERS)

SECTION 1.0

INSTRUCTION TO BIDDERS

REQUEST OF APPROVED EQUALS AND ALTERNATIVES

6.0) Request for equals to the material, equipment or methods of fabrications specified, should be submitted in writing to the contract administrator. These requests should contain pertinent data such as specifications, construction and operational characteristics, cost savings etc. in order to assist the contract administrator in his decision. Approvals for equals will be in the form of addenda. The contract administrator is not obligated to review and approve equals prior to the bid closing time.

GENERAL INFORMATION FOR BIDDERS

7.0) The specification describes a NFPA 1901 / ULC-S515 Compliant Mobile Water Supply Apparatus and outlines the minimum vehicle requirements, warranties, supplier qualifications and certification, equipment meeting the Fire Department needs. Two units are required.

7.1) Municipality's quote form and requirement form must be used.

QUOTE FORM: Two Mobile Water Supply Apparatus (Pumper Tankers)

- 1.1)** I/we recognize the right of the owner to reject any and all bids for any reason without explanation and that the lowest bid may not be necessarily be accepted.
- 1.2)** I/we understand that my/our bid will be subject to rejection unless it is prepared in strict accordance with all the requirements of the bid documents.
- 1.3)** All pricing shall be in Canadian funds, all applicable taxes included with the exception of HST which will be considered as extra to the cost
- 1.4)** I/we hereby acknowledge receipt of the following addenda ____ to ____ forming part of the bid documents **(If none have been received, write the word none)**
- 1.5)** If a discrepancy is found in the bid form between the unit price and the total amount, the unit prices shall be considered as representing the intention of the bid.

MUNICIPALITY OF WEST NIPISSING

RFQ TWO (2) MOBILE WATER SUPPLY APPARATUS (PUMPER TANKERS)

SECTION 2.0
QUOTE FORM

FORM OF QUOTE

Item A: Mobile Water Supply Apparatus

Make _____

Model _____

Year _____

\$ _____

Item B – Mobile Water Supply Apparatus

Make _____

\$ _____

Total Item A + B

\$ _____

Additional Fees/Tax

\$ _____

\$ _____

\$ _____

HST

\$ _____

Total Price for Delivery to Municipality of West

Nipissing

\$ _____

Delivery Date



West Nipissing Ouest

MUNICIPALITY OF WEST NIPISSING

RFQ TWO (2) MOBILE WATER SUPPLY APPARATUS (PUMPER TANKERS)

SECTION 2.0
QUOTE FORM

Signatures:

Vendor full business name:

Vendor full business mailing address:

Phone No: _____ Fax No: _____

Email: _____

Signature: _____

I have the authority to bind this company/corporation

NAME: _____ (Please Print)

TITLE: _____ (Please Print)

Dated at _____ this _____ day of _____, 2026

CORPORATE SEAL:

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES	
		Yes	No		
GENERAL					
1. CERTIFICATIONS					
1.1.	<p>The Vehicle supplied shall meet or exceed the requirements of the following standards and requirements:</p> <ul style="list-style-type: none"> Ministry of Transportation of Ontario standards as set out in the "<i>Highway Traffic Act and Regulations</i>". The latest applicable S.A.E. (Society of Automotive Engineers) and UL (Underwriter Laboratory) standards and regulations. O.S.H.A. (Occupational Safety and Health Administration) recommended practices. The Ontario <i>Occupational Health and Safety Act</i> (OHSA). <p>The vehicle shall meet all requirements of U.L.C. S515 M88 for Firefighting apparatus, Canadian Motor Vehicle safety standards (latest Edition), Canadian Standards Association C.S.A. C225-176, Society of Automotive Engineers S.A.E J343C-1975, American National Standards Institute ANSI, and Occupational Safety and Health Acts including all amendments, Welding Bureau of Canada CWB W59- 1989 W59 2-M1991 W47.1 S-M1989 W47.2 M-1987 (including all amendments), Ontario Highway Traffic Act, NFPA 1900- Most Current Edition (where indicated).</p> <p>All other applicable regulations pertaining to the supply and intended use of the equipment stated.</p> <p>The specified Vehicle(s) and/or equipment must comply with all requirements of the Canada <i>Motor Vehicle Safety Act</i> and its regulations (See CMVSS section below).</p>				
2.	CERTIFICATIONS – CANADA MOTOR VEHICLE(S) SAFETY STANDARD (CMVSS)				
2.1.	<p>The specified Vehicle(s) (Apparatus) and Equipment must comply with all requirements of the Canada <i>Motor Vehicle(s) Safety Act</i> (CMVSS) and its regulations including, but not limited to:</p> <p>a) A compliance label on each Vehicle(s) (Apparatus) containing all required information including, but not limited to:</p> <p>(i) Gross Vehicle(s) axle ratings for each axle, which shall not be less than the load-carrying capacity of a single axle system, as measured at the tire-ground interfaces.</p> <p>(ii) Gross Vehicle(s) weight ratings, which shall not be less than the loaded weight of a single completed Vehicle.</p>				

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	b) Complete Vehicle(s) apparatus documents with the required information from all stages of manufacture; and, c) All information labels from all stages of manufacture.			
2.2.	The specified vehicle (apparatus) and equipment must comply with all requirements of the National Fire protection Association (NFPA) standard – Standard for Automotive Fire Apparatus – Most current edition			
3. NATIONAL SAFETY MARK (NSM)				
3.1.	The company involved in the initial, intermediate, and final stages of manufacture of the Vehicle(s) shall be authorized by the Minister and have a “National Safety Mark” and a compliance label prior to the delivery of the completed Vehicle(s). The compliance label on each Vehicle containing all required information including, but not limited to: (i) Requirement(s) related to the National Safety Mark (NSM). (ii) Gross vehicle axle ratings for each axle, which shall not be less than the load- carrying capacity.			
3.2.	The final stage Manufacturer must be authorized by Transport Canada to apply the NSM label.			
4. PARTS AND SERVICE MANUALS				
4.1.	One (1) operators' manual, in English, plus one (1) electronic file (USB drive) are required covering the operation and parts of the complete vehicle shall be provided with the unit on delivery.			
4.2.	Manufacturer's warranty literature shall be provided with the bid submission.			
4.3.	One (1) complete hard copy 11" X 17" plus one (1) electronic file (USB drive) as-built wiring diagrams for the complete vehicle are required at delivery. Wiring diagrams must be in accordance with NFPA regulations. Wiring diagrams should identify the color and numbering on the wiring.			
4.4.	One (1) chassis maintenance manual containing service information shall be provided with the unit on delivery.			
5. CONTACT INFORMATION FOR SERVICE FACILITY				
5.1.	The service facility shall be a 24/7 service center where a technician can be reached at any time or day for support or service call.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
5.2.	For warranty repairs, the facilities, or portions thereof, as identified, shall be dedicated to the service and maintenance of the type of Vehicle(s) and/or equipment being offered. The Fire Department reserves the right, at any time prior to contract award and/or during the contract period, to inspect the Contractor's, Service Provider's and/or Subcontractor's Service Facilities identified. The Fire Department shall provide twenty-four (24) hours prior notice for an inspection. The Fire Department shall verify that the Contractor's premise is deemed to have reasonable levels of trained personnel, documentation, licensing, and equipment, relevant to the work being maintained to support the requirements of the contract.			
5.3.	The service provider shall have EVT certified technician on staff.			
5.4.	The service provider shall have 310T license mechanic on staff.			
5.5.	The service provider shall have a certified Waterous pump technician on staff.			
5.6.	The service provider shall have a mobile pump testing unit.			
6. DECALS/SIGNAGE				
6.1.	Vehicle signage shall be bilingual (English/French) or universal symbol (use of graphic symbols as defined in SAE 1362 is acceptable), where applicable.			
7. GENERAL WARRANTY				
7.1.	The warranty shall cover the complete vehicle, 100% parts and labor for the first two (2) years.			
7.2.	For clarification purposes, minor warranty repairs will include, but not be limited to; bulb, belt, and hose replacements etc.			
7.3.	The warranty will be based on years and shall include all ancillary equipment included and installed on the unit upon acceptance by The Fire Department.			
7.4.	The intent of the wording of the minimum warranties referenced in the respective sections shall include all parts and labour on the complete component for the duration specified. For example: Engine shall include all ancillary attachments to the engine such as wiring harnesses, alternators, injectors, injection pumps, etc. The complete engine, not just the internal components of the engine. This would not include oil filters, belts, tires, brake pads.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
7.5.	In the event of a dispute between The Fire Department and the manufacturer concerning the component in question, the component shall be forwarded to the Original Equipment Manufacturer for determination of failure. Should it be deemed to have failed because of negligence or abuse, the cost of the component will be borne by The Fire Department, otherwise the cost will be borne by the Contractor. This would apply to all ancillary attachments to all components as referenced.			
8. PAINT WARRANTY				
8.1.	The cab and chassis shall be covered by a limited manufacturer paint warranty. Body paint warranty shall be in effect for ten (10) years or 100,000 kilometers. The cab and chassis warranty shall be two (2) years.			
9. WARRANTY AUTHORIZATION AND RESPONSIBILITY				
9.1.	If the vehicle becomes immobile during the warranty period due to the failure of a warrantable component, the Contractor shall be responsible for the towing and/or float charges to transport the vehicle to the Contractor's facility and the Contractor shall return the vehicle to The Fire Department facility all at the Contractor's sole expense, risk and responsibility.			
9.2.	Where applicable, if the manufacturer provides a longer warranty period or a warranty that is more extensive in its nature, then the provisions of such a manufacturer's warranty shall apply.			
9.3.	The warranty period shall commence from the "Delivery Day date" which is the date that the vehicle/material is delivered to The Fire Department and received by The Fire Department authority.			
9.4.	Labour for the removal or installation of warranted parts, or components and any associated shipping fees will be the sole responsibility of the contractor.			
10. SPECIFICATIONS OVERVIEW				
10.1.	The vehicle and its components shall be designed to operate in Canadian climate weather conditions (-40 to +40 degrees Celsius.) As winter conditions are very corrosive from the use of salt preventive measures shall be incorporated in its design and equipment to address the problem of corrosion and galvanic reaction.			
10.2.	In the event of a conflict between the text of this document			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	and the references cited herein, the text of the document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been indicated.			
10.3.	Any error or omission in the specifications shall be immediately reported to the purchaser for correction.			
10.4.	Where these specifications list only the major significant details of the unit(s) or equipment required, it is the bidder's responsibility to provide a unit or the equipment fully equipped for its intended use, to provide dependable and efficient service and performance.			
10.5.	The Supplier shall assume complete and overall responsibility for design, implementation of design and satisfactory operation for the completely new vehicle/equipment that meet this specification and its sub-systems.			
10.6.	<p>The Fire Department shall be responsible for all costs of meetings and inspections at the manufacturer's location. There will be three (3) members of The Fire Department present for each meeting or inspection required. A minimum of five (5) business day's notification is required prior to each inspection. All meetings to be scheduled during the afternoon, between the hours of 1:00pm to 4:00pm.</p> <p>1. Factory pre-construction meeting and facilities tour 2. Chassis inspection 3. Pre-paint inspection 4. Factory final inspection*</p> <p>Factory meetings and inspections denote the location where the apparatus is built, and not at the dealer location where the apparatus is delivered prior to final delivery to the fire department. This is required to ensure that all requirements, changes, and other items deemed necessary by The Fire Department are carried out in the quickest fashion causing minimum delays.</p>			
10.7.	Concurrence by the Bidder to any specification requirement contained within this Request for Tender shall take precedence over any documentation accompanying the bid submission.			
11. INSURANCE				
11.1.	The Contractor shall provide and maintain, at its sole expense, during the term of the contract, the following policies of insurance			
11.2.	The Contractor shall provide and maintain during the term			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<p>of the contract Garage Automobile Liability to include:</p> <ul style="list-style-type: none"> • Section 1 Third Party Liability - subject to limits of not less than \$5,000,000 inclusive per occurrence for bodily injury, death and damage to property including loss of use. • Section 2 Accident Benefits – to be included as per Statutory Limits. • Section 3 Uninsured Automobile Coverage – To be included. • Section 6 Liability for Damage to a Customer’s Automobile while in the Care, Custody or Control of the Insured. • Section 6.1 Collision or Upset Limit applicable to any one customer’s automobile - \$750,000. • OEF #77 Comprehensive coverage subject to limits of not less than \$1,000,000. • OEF #81 Garage Family Protection Endorsement 			
11.3.	The liability insurance policies shall contain endorsement to provide The Fire Department with coverage. Notification of cancellation must be made thirty (30) days prior in writing.			
11.4.	Evidence of insurance satisfactory to the Municipality shall be provided prior to the commencement of work.			
12. GENERAL, CONSTRUCTION AND DESIGN				
12.1.	The Bidder confirms and guarantees the apparatus delivered will be of the highest engineering standard and as such confirms and guarantees that the apparatus will be able to maintain their readability as per the NFPA 1900 Most Current Edition regulations in all emergency conditions over their projected twenty (20) year life span.			
12.2.	The design of the equipment shall be in accordance with the best engineering practices. The equipment design and accessory installation shall permit accessibility for use, maintenance, and service. All components and assemblies shall be free of hazardous protrusions, sharp edges, cracks, or other elements, which might cause injury to personnel or equipment.			
12.3.	The Bidder confirms that the Vehicle Stability (of the apparatus being built) meets all NFPA 1900 Most Current Edition Regulations.			
12.4.	All oil, hydraulic, and air tubing lines and electrical wiring shall be installed in protective positions properly attached to the frame or body structure and shall have protective loom or grommets at each point where they pass through			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	structural members, except where a through-frame connector is necessary.			
12.5.	Parts and components should be located or positioned for rapid and simple inspection and recognition of excessive wear or potential failure. Whenever functional layout of operating components determines that physical or visual interference between items cannot be avoided, the item predicted to require the most maintenance shall be located for best accessibility.			
12.6.	Cover plates, which must be removed for component adjustment or part removal, should be equipped with quick-disconnect fastening or hinged panels.			
12.7.	Drains, filler plugs, grease fittings, hydraulic lines, bleeders, and check points for all components should be located so that they are readily accessible and do not require special tools for proper servicing. Design practices should minimize the number of tools required for maintenance.			
12.8.	All custom manufacturers must have the ability to shear/cut, break and weld, to meet specifications required, to meet design requirements.			
12.9.	Materials shall conform to the specifications listed herein. When not specifically listed, materials shall be of the best quality for the purpose of commercial practice. Materials shall be free of all defects and imperfections that might affect the serviceability of the finished product.			
12.10.	All nameplates and instruction plates shall have the information engraved, stamped, etched thereon. Nameplates shall show make, model, serial numbers, and other such data necessary to positively identify the item and all fluid levels for the vehicle. All nameplates shall be mounted in a conspicuous place; all warning and caution labels will be bilingual (English and French).			
12.11.	The manufacturing process, including quality control, shall be consistent with present industry standards. All equipment, material, and articles required under this specification are to be new or fabricated from new materials produced from recovered materials. The term "Recovered Materials" means materials, which have been collected or recovered from solid waste and reprocessed to become a source of raw materials, as opposed to virgin raw materials. None of the above shall be interpreted to mean that the use of used or rebuilt products is allowed under this document. The term "Heavy Duty", as used to describe an item, shall mean more than the standard, quantity, quality, or capacity			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	and represents the best, most durable, strongest, etc., part, component, system, etc., that is available. The Fire Department or their designate shall be the sole judge of quality, construction and stability of the apparatus and equipment being offered.			
12.12.	Parts, equipment, and assemblies, which have been repaired or modified to overcome deficiencies, shall not be furnished without the approval of the purchaser. Welded, and bolted, construction shall be utilized in accordance with the highest standards of the industry. (NO POP RIVETS). Component parts and units shall be manufactured with proper fits, clearances, and uniformity. The general appearance of the vehicle shall not show any evidence of poor quality of work.			
12.13.	Unless protected against electrolytic corrosion, dissimilar metals shall not be used in intimate contact with each other.			
12.14.	The engine and transmission manufacturer's approval of the proposed installation including a performance SCAAN.			
12.15.	The height of the fully loaded vehicle's center of gravity shall not exceed the chassis manufacturer's maximum limit and shall be identified on submitted drawings.			
12.16.	The front and rear weight distribution of the fully loaded vehicle as defined shall be within the limits set by the chassis manufacturer. The front axle loads shall not be less than the minimum axle loads specified by the chassis manufacturer, under full load and all other loading conditions. The actual loaded weight on any axle shall not exceed the maximum allowable in the Province of Ontario.			
13. DELIVERY				
13.1.	Acceptance of the delivered apparatus and equipment will be made upon satisfactory completion of all required tests, receipt of all specified equipment and documentation and commissioning unit into service.			
13.2.	The following items shall be furnished upon delivery of the vehicle: <ul style="list-style-type: none"> • Certification that the optical warning system has been supplied and installed in compliance with NFPA 1900-Most Current edition. • A weight ticket from a certified scale showing the loading on the front axle, rear axle, and overall vehicle with water tank full but without hose, equipment, or personnel. • ULC or UL certification of the fire pump. No exceptions. • Tested and certified in accordance with Sections 12.13, 15.13, and 20.16.5 of CAN/ULC-S515-13. 			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	• Certification of the water tank capacity			
13.3.	An electrical load report on the proposed apparatus showing all electrical loads in the response and on-scene modes.			
13.4.	Chassis line specifications ticket shall be supplied.			
14.	TRAINING			
14.1.	<p>The delivery shall include four (4) hours of apparatus familiarization, at minimum. It shall include vehicle familiarization and operational items only, as requested by the fire department. Topics to be discussed shall be provided by The Fire Department with a minimum of two (2) weeks in advance to allow proper time to create a custom training session. The trainer shall be a body OEM supervisor familiar with all aspects of the apparatus construction.</p> <p>Under no circumstances will firefighting operations, tactics, and procedures be discussed as these are not relevant to fire apparatus manufacturing.</p> <p>The familiarization sessions shall be conducted in groups of four (4) firefighters.</p>			
CHASSIS				
15.	VEHICLE PERFORMANCE			
15.1.	The apparatus is expected to operate at elevations less than 2000 ft. (610 m) above sea level. The contractor shall ensure the apparatus will meet all requirements at the maximum specified elevation.			
15.2.	<p>The apparatus, when fully equipped and loaded, shall be capable of the following performance on dry, level, paved roads in good condition:</p> <ul style="list-style-type: none"> • From a standing start the vehicle shall attain a true speed of 55 Km/h within 25 sec on a 0 percent grade. • From a steady speed of 25 Km/h the vehicle shall accelerate to a true speed of 55 Km/h within 30 sec. This shall be accomplished without moving gear selector. • The vehicle shall attain a maximum top speed of 105 Km/h. • The apparatus fully loaded shall be able to maintain a speed of at least 40 Km/h on a 6 percent grade. • The service brakes shall be capable of bringing the fully loaded apparatus to a complete stop from a speed of 30 Km/h in a distance not exceeding 10.7m. 			
15.3.	The sound level within the cab shall not exceed 85 dba with the vehicle travelling at a steady speed with no audible			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	warning devices sounding as regulated by the Ontario workplace's health and safety act.			
15.4.	The parking brakes shall be capable of positively holding the fully loaded apparatus on a 20% grade.			
15.5.	The minimum angle of approach and departure shall not be less than 11 degrees.			
16. CHASSIS SPECIFICATIONS				
16.1.	The cab and chassis shall be model 2026 or newer.			
16.2.	It shall be a M2 106 conventional two (2) door chassis.			
16.3.	The cab and chassis shall meet or exceed all requirements of U.L. or U.L.C., NFPA and other applicable Canadian and Ontario standards.			
16.4.	It shall have a front set back axle.			
16.5.	The wheelbase shall not exceed 182".			
16.6.	The maximum length of the apparatus shall not exceed 311".			
16.7.	The maximum overall height of the apparatus shall not exceed 117" inches from the ground to the highest point on the apparatus body.			
16.8.	The total front axle G.A.W.R. shall be a minimum of 18,000 lbs.			
16.9.	The total rear axle G.A.W.R. shall be a minimum of 33,500 lbs.			
16.10.	The total chassis G.V.W.R. shall be a minimum of 49,000 lbs.			
16.11.	The G.A.W.R. and G.V.W.R. of the chassis and all related components shall exceed the weight of the fully equipped apparatus by approximately 10%, including the fully loaded water tank, the specified hose load and equipment, and unequipped personnel weight.			
16.12.	A final manufacturer's certification of the G.V.W.R., along with a certification of the G.A.W.R., shall be supplied on a nameplate affixed to the vehicle.			
16.13.	The difference in weight on the end of each axle, from side to side, when the vehicle is fully loaded and equipped shall not exceed 5%.			
16.14.	The actual loaded weight of the vehicle shall not exceed 90% of the G.V.W.R of the front and rear axle ratings.			
17. FRAME – BUMPER				
17.1.	The frame shall be channel type, of sufficient dimension to handle the rigors of emergency service. The frames rails shall be one (1) continuous piece with no splices and for all purposes are considered a part of the frame/chassis system			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	along with the cross members and shall not be cut, pierced, modified, or weakened in any way.			
17.2.	The top frame rails shall be clear from all bolt heads or obstructions. Outside of frame rails the rear of cab shall be clear of any obstructions (air, fuel tanks etc.).			
17.3.	Shall be equipped with a three (3) piece 14-inch painted steel bumper with collapsible ends. Front bumper shall be bolted directly to frame rails.			
17.4.	Two (2) heavy duty painted tow hooks or eyes shall be installed under front bumper. Tow hooks or eyes shall be bolted directly to chassis frame members.			
18.	AXLES AND SUSPENSION			
18.1.	Taper leaf front suspension with maintenance free rubber bushings.			
18.2.	The front axle shall be designed with a minimum of 18,000 lbs. G.A.W.R capacity. It shall be a Detroit DA-F-18.0-5.			
18.3.	Front suspension shall meet or exceed the minimum 18,000 lbs. capacity.			
18.4.	Shall be equipped with oil lubricated front wheel bearings with visual oil level indicators.			
18.5.	The rear axle shall be a single axle, minimum 33,500 lbs. capacity G.A.W.R and shall include single reduction and oil lubricated rear wheel bearings. It shall be an RT-46-160 R-Series Fire/Emergency Service single axle.			
18.6.	The rear axle ratio shall be 5.38, capable of reaching top speed as required by N.F.P.A. 1900- Most Current edition.			
18.7.	Rear suspension capacity shall be designed to match or exceed the rated axle loading of the vehicle complete with heavy-duty shock absorbers. It shall be equipped with 31,000lbs flat leaf spring rear suspension with helper and radius rod for fire/emergency service.			
18.8.	Brake dust shields shall be installed on the front and rear axles.			
18.9.	There shall be a driver controlled differential lock rear valve for single drive axle. It shall include a buzzer and blinking lamp with a differential lock switch. The differential will unlock with ignition off and will operate at less than 8 Km/h.			

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES
		Yes	No	
19. BRAKE SYSTEM				
19.1.	Service brakes to be Meritor air operated drum type and comply with all applicable Ontario and Canadian CMVSS-121 standards.			
19.2.	Front brakes shall be Meritor Q+ 16.5 X 6 cast spider heavy duty cam, Meritor automatic slack adjusters. The brakes shall be equipped with fire and emergency severe service, non-asbestos lining. Brake cast iron drum to be outboard mounted.			
19.3.	Rear brakes shall be Meritor Q+ 16.5 X 7 Q cast spider cam double anchor, fabricated shoes with Haldex automatic slack adjusters with stainless steel clevis pins. The brakes shall be equipped with fire and emergency severe service, non-asbestos linings. Brake cast iron drum to be outboard mounted.			
19.4.	A Wabco 4S/4M anti-lock brake system with traction control will be provided on front and rear axles. Dash mounted anti-lock lamp will be provided to indicate malfunction.			
19.5.	The air compressor shall be 18.7 CFM minimum, capable of rapid air pressure build up, as required by N.F.P.A. 1900-Most Current edition.			
19.6.	Drive axle spring parking chambers shall be Bendix Eversure long stroke 30/36.			
19.7.	A separate air pressure tank of approximately 1,350 cu. in. shall be provided for the air horn system. The tank shall be provided with a pressure protection valve to prevent the use of air horns or other accessories when the air pressure system drops below (80 Psi).			
19.8.	All air reservoirs will be equipped with manual cable operated drain valves. Cables to be routed to be easily accessible by operator/driver. All drain cables must be equipped with labels attached to the rub railings to identify the air tank that is being drained.			
19.9.	A Wabco air dryer with heater shall be mounted inboard on RH rail.			
20. AUXILIARY BRAKING SYSTEM				
20.1.	The Detroit engine shall be equipped with a compression engine brake system.			
20.2.	An on/off dash switch shall control the engine brake. A light to indicate the activation shall be mounted in dash display.			
21. TIRES AND WHEELS				

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
21.1.	The tires and wheels shall meet the apparatus load range.			
21.2.	The front tires shall be MICHELIN XZU-S2 315/80R22.5 20 PLY radial tires.			
21.3.	Rear tires shall be MICHELIN XDS2 GRIP 315/80R22.5 20 PLY radial tires.			
21.4.	Front wheels shall be polished Alcoa Ultra ONE 89U64X 22.5X9.00 10-Hub Pilot 5.99 Inset aluminum.			
21.5.	Rear outer wheels shall be polished Alcoa Ultra 18X 22.5X8.25 10-Hub Pilot Aluminum Disc.			
22.	POWERTRAIN			
22.1.	The vehicle shall be equipped with a Detroit DD8 7.7L 375 HP @ 2200 RPM, 1050 LB-FT @ 1200 RPM			
22.2.	Side of hood air intake with NFPA compliant ember screen and fire-retardant Donaldson air cleaner.			
22.3.	The cooling system shall have sufficient capacity to meet extended periods of full load operation in local ambient temperatures and maintain the engine at a temperature not to exceed the maximum or minimum operating temperature as recommended by the engine manufacturer			
22.4.	The radiator shall be of a design and size recommended by the engine and transmission manufacturers for the intended application.			
22.5.	Coolant shall be an extended life coolant type with protection to minus -50 degrees °C.			
22.6.	Coolant hoses shall be Gates Blue Stripe High-Temperature hose or equivalent. Coolant hoses shall be installed using constant tension hose clamps.			
22.7.	The engine cooling system shall incorporate a thermostatically controlled clutch fan. The Horton fan will include a dash switch and indicator light.			
22.8.	Apparatus manufacturers must install a closed-circuit auxiliary heat exchanger with control at the pump operator's panel to provide for additional cooling capacity without the loss of coolant.			
22.9.	All heater hose fittings and adaptors shall be brass. Plastic connector and fittings shall not be acceptable.			
22.10.	Low coolant indicator light and buzzer alarm on dash and pump panel shall be provided.			
22.11.	The fuel system shall be compatible with the engine manufacturer's recommendations for flow and pressure.			
22.12.	The fuel system components shall be protected from			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	exhaust heat and mechanical damage during the normal use of the apparatus.			
22.13.	The fuel tank shall be easily removable for repairs (brackets welded to tank will not be accepted). A single fuel tank with a minimum capacity of 50 USGAL shall be installed. The tank shall be rectangular in shape and made of aluminum.			
22.14.	A D.E.F. 6- USGAL tank shall be provided. The D.E.F. tank shall not encroach upon any designed stowage compartment. A label on the body shall clearly identify the location of the D.E.F. tank.			
22.15.	Spin-on type fuel filter shall be installed as recommended by engine manufacturer.			
22.16.	Detroit fuel/water separator with water in fuel sensor, hand primer and 12-volt preheater shall be installed.			
22.17.	The vehicle shall be equipped with an Allison model 3000EVS automatic transmission. The transmission shall be configured to maximize the pump output.			
22.18.	The transmission shall be controlled by a pushbutton selector mounted to the right of driver and lighted for night operation.			
22.19.	A transmission temperature gauge shall be supplied on the cab dash and pump panel with a warning light and/or buzzer for high transmission temperature.			
22.20.	The driveline shall be a heavy-duty series and have glide coat spline on all slip shafts.			
22.21.	All portions of the driveline shall be balanced at maximum operating speed; driveline angle must be within Manufacturer's specifications.			
22.22.	The exhaust system and after-treatment system shall be installed below the right-side steps and meet all applicable noise standards. Heat shields shall be provided to protect any part of the apparatus susceptible to heat damage. The muffler shall be aluminized, and any flex tube used shall be stainless steel. The flex tube will be installed with overlapping clamp type seals.			
22.23.	An engine aftertreatment device, automatic over the road active regeneration and dash mounted single regeneration request/inhibit switch shall be supplied.			
22.24.	The exhaust pipe shall terminate in front of the right rear wheels 1 inch below body at 90 degrees.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
22.25.	The exhaust pipe shall be equipped with a diffuser system.			
23. CAB EXTERIOR				
23.1.	Cab shall be an air ride			
23.2.	The front grill shall have a non-removable bug screen mounted behind grill.			
23.3.	The cab shall include LH and RH exterior grab handles with single rubber insert.			
23.4.	Bright finish front grill, radiator shell/hood bezel			
23.5.	Chrome hood mounted air intake grille			
23.6.	Two (2) Stutter tone 25" (inches) or equivalent air horns shall be hood mounted. <ul style="list-style-type: none"> • Horns shall include snow shield 			
23.7.	The air horns shall be controlled by lanyards easily accessible by Officer and Driver, one (1) each side of cab.			
23.8.	A single electric horn shall be installed controlled by steering wheel center horn pad.			
23.9.	Where applicable, three (3) sets of keys shall be provided per vehicle for ignition, doors, cabinets, and all other attachments.			
23.10.	LED headlight composite headlamps with bright bezels shall be installed.			
23.11.	LED aerodynamic marker lights			
23.12.	Daytime running lights - low beam only			
23.13.	Dual west coast bright finish heated mirrors with led lights and LH and RH remote			
23.14.	LH and RH 8-inch bright finish convex mirrors mounted under primary mirrors			
23.15.	A RH down view mirror shall be installed on the right door.			
23.16.	Composite exterior sun visor			
23.17.	No rear window			
23.18.	Tinted door glass LH and RH with tinted operating wing windows			
23.19.	Electric door window regulators.			
23.20.	Tinted windshield			
23.21.	2- USGAL windshield washer reservoir, cab mounted, with fluid level indicator			
23.22.	Mud flaps shall be installed behind the front wheels to protect the body and components from road spray.			
23.23.	A windshield washer system with the largest available OEM			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	reservoir shall be installed.			
24. ALTERNATOR AND BATTERY				
24.1.	The alternator shall be a minimum 300 amp, 12-volt 40-SI brushless pad alternator with remote battery voltage sense. The alternator output must meet the minimum continuous electrical load requirement on this apparatus.			
24.2.	Three (3) batteries shall have a minimum combined value of 3000 CCA. High cycle 12 volt batteries shall be installed. All batteries will be contained within a box and covered to protect them from road spray.			
24.3.	A positive and negative post for jumpstart shall be located on the frame next to the starter and easy to access.			
25. CAB INTERIOR				
25.1.	Opal gray vinyl interior.			
25.2.	The inside door shall be molded plastic door panel without vinyl insert with aluminum kick plate lower door.			
25.3.	Black mats with single insulation.			
25.4.	It shall have a forward roof mounted console with upper storage compartments without netting.			
25.5.	The dash will have a storage bin.			
25.6.	Gray/Charcoal flat dash.			
25.7.	Smart switch expansion module – dash mounted.			
25.8.	To include heater, defroster, and air conditioner.			
25.9.	Premium insulation option			
25.10.	Includes solid-state circuit protection and fuses.			
25.11.	It shall be a 12v negative ground electrical system.			
25.12.	Door activated dome lights located in the cab roof.			
25.13.	LH and RH manual door locks.			
25.14.	Two (2) 12-volt power receptacles mounted in dash.			
25.15.	The driver's seat shall be a H.O Bostrom Sierra Air-50 high back air suspension with NFPA1900 compliant seat sensor.			
25.16.	The passenger (officer's) seat shall be a H.O Bostrom Sierra Air-50 high back air suspension with NFPA1900 compliant seat sensor.			
25.17.	The seat sensor display shall be mounted in the upper forward center console.			
25.18.	LH and RH integral door panel armrests.			
25.19.	The driver and passenger seats shall be gray vinyl with vinyl insert.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
25.20.	The seat belts shall be NFPA 1900 high visibility orange, and of length to reach around a firefighter in full bunker gear.			
25.21.	All seats shall be equipped with three (3) point retractable seat belts.			
25.22.	The steering column shall be equipped with tilt and telescopic steering wheel column.			
25.23.	The steering column shall contain the self-cancelling turn signal switch with dimmer, washer/wiper (two speeds with delay) in handle and the hazard switch.			
25.24.	There shall be a driver and passenger interior sun visors			
26. CAB INSTRUMENTS AND CONTROLS				
26.1.	There shall be an engine remote interface with park brake interlock.			
26.2.	Chassis shall include an engine remote interface for remote throttle.			
26.3.	Chassis shall include an engine remote interface connector at back of cab.			
26.4.	The heavy-duty onboard diagnostics interface connector shall be located below LH dash			
26.5.	An NFPA vehicle data recorder and seatbelt display shall be installed.			
26.6.	Instrument cluster shall have an engine hour meter, trip meter, turn signal indicators and high beam indicator.			
26.7.	Instrument cluster shall include a 2" electric fuel gauge, engine coolant temperature gauge and a 2" transmission oil temperature gauge.			
26.8.	Instrument cluster shall include 2" air pressure gauges for primary and secondary.			
26.9.	Instrument cluster shall include a low air pressure indicator light and audible alarm.			
26.10.	Air restriction indicator with graduations shall be mounted in the dash.			
26.11.	An electronic cruise control with switches shall be mounted on the steering wheel.			
26.12.	Fast idle activated through cab cruise control controls on steering wheel.			
26.13.	An electronic back-up alarm that is activated when the vehicle is in reverse shall be installed to warn people near or on the apparatus that the vehicle is backing up.			
26.14.	The Chassis and vehicle shall be equipped with an Advanced Electronic Stability Control System.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	A dash-mounted warning light shall turn off after approximately ten (10) seconds if the sensor is functioning. The system shall continue to function in the event of non-critical faults.			
26.15.	A radio AM/FM/WB world tuner with Bluetooth and USB and auxiliary inputs shall be dash mounted.			
26.16.	Two (2) radio speakers shall be mounted in the cab.			
26.17.	The AM/FM antenna shall be mounted on forward LH roof			
26.18.	There shall be one (1) valve parking brake system with dash valve control auto neutral and warning indicator.			
26.19.	Master battery switch left side of driver's seat shall be provided.			
26.20.	Keyed switch shall be provided.			
FIRE PUMP COMPARTMENT CONSTRUCTION GENERAL				
27.	FIRE PUMP COMPARTMENT			
27.1.	The fire pump instrument panel shall be located on the left side of the fire apparatus (Side Mount).			
27.2.	The pump module compartment shall be fully enclosed, on all sides.			
27.3.	The pump module body shall be a self-supported structure mounted independently from the body and chassis cab. The pump module shall be constructed entirely of extrusions and aluminum plate. The framework shall be formed from beveled aluminum alloy extrusions and shall be electrically seam welded at each joint using 5356 aluminum alloy welding wire. The main framework to be 3.00 x 2.00 x 0.25, 6061-T4 aluminum extrusion. The pump module design must allow normal frame deflection through isolation mounts without imposing stress on the pump module structure or side running boards. The pump module shall consist of a welded framework, properly braced to withstand chassis frame flexing. The pump module support shall be bolted to the frame rails of the chassis.			
27.4.	The pump module control panels shall be 1/8" aluminum.			
27.5.	The left lower pump panel shall be ease removable for ease of maintenance. The upper panel containing all gauges will be hinged on the left side and able to swing open 90 degrees, closure will be compression latches. The panels shall have the controls displayed in an organized method of pump control with color-coded labels to NFPA standard. All pump panel controls shall be clearly labelled to indicate function. The discharge controls shall be clearly labelled and			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	color-coded. Discharge drains and bleeder controls installed at the pump panel shall be color-coded to match the corresponding discharge control.			
27.6.	The right lower pump panel shall be removable for easy access for maintenance. The upper panel will be hinged on the right side and able to swing open 90 degrees, closure will be compression latches. It shall allow easy access to plumbing and valves.			
27.7.	The engineering, layout, and functional "user friendly" design of the pump panel is of vital importance for this apparatus.			
27.8.	The left and right-side pump panels shall be provided with a full LED bar light, lights with switch on the panel. The hooded panels shall prevent glare to the operator's view.			
27.9.	Access shall be provided for servicing of the pump, all piping, valves, and controls. Wherever possible, hinged access doors and valve access panels shall be used to reduce repair costs. It is expected that the front, right side, and upper panels will be of quick removal type.			
28. PUMP ENCLOSURE HEATING				
28.1.	The pump house shall contain an engine recirculation heater that shall be plumbed to the engine cooling system and shall be controlled with a control on the operator's panel, minimum 40,000 BTU.			
28.2.	The bottom of the pump house shall be fitted with a removable heat pan. The heat pan shall totally enclose all sides, front, and rear bottom of the pump house and shall be constructed from aluminum sheet and shall be installed to the underside of the pump house that shall be easily removable.			
29. PUMP TO CHASSIS WIRING				
29.1.	Electrical wiring from the pump and applicable chassis wiring shall terminate in a sealed weatherproof junction box inside the pump enclosure next to pump access door. All connectors must be labeled for easy identification on the wiring diagrams. This will accommodate the removal of the pump, should removal be required for service.			
30. PUMP TRANSVERSE PRECONNECT HOSE BED				
30.1.	Over the fire pump enclosure shall be an area for a double pre-connect crosslay compartment (1 ½"). The compartment			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	shall be an integral part of the pump enclosure construction and shall not be a bolted-on tray attached to the top of the apparatus body.			
30.2.	The crosslay bed will be flat sided. There will be a $\frac{1}{4}$ inch flat sided aluminum hose divider to form two (2) hose beds.			
30.3.	The double pre-connected bed will hold a minimum of 200' of 1.5" hose with nozzle in each hose bed.			
30.4.	The crosslay hose beds shall have vinyl covers installed on each end of the crosslay bay openings. Covers shall be permanently attached to the top checker plate cover, and to the sides of the pump compartment, by hook and loop strips on each flap. The crosslay hose bed covers shall be black in colour.			
PUMP AND PLUMBING GENERAL				
31.	PUMP WARRANTY			
31.1.	Waterous shall provide a limited manufacturer's pump warranty with a total protection package to be free from defects in material and workmanship, under normal use and service, for a period of seven (7) years from the date placed into service.			
32.	STAINLESS STEEL PLUMBING WARRANTY			
32.1.	A Stainless-steel Plumbing/Piping warranty shall be offered for a period of ten (10) years from the date of delivery.			
32.2.	All auxiliary suction and discharge plumbing related fittings, and manifolds shall be fabricated with schedule 10 stainless steel pipe, brass, or high-pressure flexible piping with stainless steel couplings. Galvanized components and/or iron pipe shall NOT be accepted to ensure long life of the plumbing system without corrosion or deterioration of the waterway system. Where waterway transitions are critical (elbows, tees, etc.), no threaded fittings shall be allowed to promote the smooth transition of water flow to minimize friction loss and turbulence. All piping components and valves shall be non-painted, unless otherwise specified. All piping welds shall be wire brushed and cleaned for inspection and appearance. The high-pressure flexible piping shall be black SBR synthetic rubber hose with 300 PSI working pressure and 1200 PSI burst pressure for flexible piping sizes 1.5" through 4". Sizes 3/4", 1" and 5" are rated at 250 PSI working pressure and 1000 PSI burst pressure. All sizes are rated at 30 in HG vacuum. Reinforcement consists of two plies of high tensile strength tire cord for all sizes and helix wire installed in sizes			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<p>1" through 5" for maximum performance in tight bend applications. The material has a temperature rating of -40° C to + 100° C.</p> <p>The stainless-steel full flow couplings are precision machined from high tensile strength stainless steel. All female couplings are brass. Mechanical grooved and male 3/4" and 1" couplings are brass. A high tensile strength stainless steel ferrule with serrations on the I. D. is utilized to assure maximum holding power when fastening couplings to hose.</p>			
33. FIRE PUMP AND RELATED EQUIPMENT				
33.1.	The fire pump shall be tested and certified to CAN/ULC - S515-M88. A copy of the test results shall be provided to the purchaser upon delivery of the apparatus, and an engraved certification plate shall be affixed to the pump operator's panel.			
33.2.	The fire pump shall be a Waterous CXS single stage centrifugal pump. It shall be of a size and design to mount on the chassis rails of commercial truck chassis with a minimum rated capacity of 5000 LPM – 1050 IGPM – 1500 GPM and shall meet all CAN/ULC -S515-M88 and NFPA current Edition requirements.			
33.3.	<p>The pump shall be the Class "A" type and shall deliver the percentage of rated discharge at pressures indicated below.</p> <ul style="list-style-type: none"> • 100% of rated capacity at 150 PSI net pump pressure • 100% of rated capacity at 165 PSI net pump pressure • 70% of rated capacity at 200 PSI net pump pressure • 50% of rated capacity at 250 PSI net pump pressure 			
33.4.	The entire pump shall be hydrostatically tested to a pressure of 600 PSI. The pump shall be fully tested at the pump manufacturer's factory to the performance spots as outlined by the latest NFPA Pamphlet No. 1900. The pump shall be free from objectionable pulsation and vibration.			
33.5.	The pump drive unit shall be of sufficient size to withstand the full torque of the engine in both road and pump operating conditions. The drive unit shall be designed with ample capacity for lubrication reserve and to maintain the proper operating temperature without supplemental cooling.			
33.6.	Driveline equipment must be of the heavy-duty type, with hollow-tube driveline, and heavy-duty universals. The engine shall provide sufficient horsepower and RPM to enable pump to meet and exceed its rated performance.			
33.7.	The Allison transmission shall be provided with direct gear			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	pump lock-up provision. Transmission shift control pad in cab will lock transmission in direct drive pump position, when in pump gear.			
33.8.	The discharge and intake piping, valves, drain cocks and lines and intake and outlet closures, shall be suitable to withstand a minimum hydrostatic burst pressure of 3450 KPA (500 PSI.) The only exception to this requirement shall be the tank fill and tank suction piping on the tank side of the valve.			
33.9.	Stainless steel fittings shall be utilized (no galvanized fittings will be permitted) for tank fill or tank to pump.			
33.10.	The plumbing of the pump shall be built to firefighting standards, using stainless steel pipe or premium quality fire apparatus high-pressure Class 1 flexible piping. The flexible piping shall have a minimum burst pressure rating of 8400 kPa (1200 Psi) and a temperature rating of -40 to 100 degrees C. Where vibration or body flexing may damage or loosen piping or where a coupling is required for servicing, the piping shall be equipped with Victaulic couplings, 90-degree elbows shall be of the sweep type. All plumbing and valving shall meet NFPA standards.			
33.11.	The valves used in the fire pump installation shall be all quarter-turn ball action, unless otherwise specified. To allow easy repair or replacement of valve seats, all control valves; discharge and intakes (suction) shall be AKRON heavy duty brass swing-out quarter turn full flow ball valves.			
33.12.	All valves, (suction) intake and discharge valves mounted on the pump shall be flush mounted type (exposed valves will not be acceptable). Either panel controlled or with remote control type handles. No valves shall be installed upside down.			
34. PUMP SHIFT				
34.1.	The drive unit shall be provided with an air pump shift system. The control valve shall be a spring-loaded guard lever that locks in "Road" or "Pump" mode. To the left of the pump shift control, there shall be two indicator lights to show the position of the pump when the control is moved to "Pump" position. A green light shall be energized when the pump shift has been completed and shall be labeled "PUMP ENGAGED"; a second green light shall be labeled "OK TO PUMP" energized when both the pump shift has been completed, and the chassis automatic transmission is engaged. A third green indicator light shall be installed adjacent to the throttle on the pump operator's panel. This light shall be			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<p>labeled "PUMP ENGAGED".</p> <p>In addition to this indicator light, an additional indication shall be provided to the pump operator at the panel when the pump is ready to pump. This additional indication shall be that one (1) of the operator's panel lights will only activate when the "OK TO PUMP" indicator is lit.</p>			
35. DRAINS AND BLEEDERS				
35.1.	<p>The pump shall be equipped with a Trident Master Pump drain to allow draining of the lower pump cavities, volute and selected water carrying lines and accessories. The drain shall have a full brass body with a stainless-steel return spring. The valve shall be installed lower than the main pump body to permit complete draining of the pump and water carrying lines and accessories. Secondary drains shall be provided on any low points in the piping.</p> <p>All drains must be controlled from the left (driver's side) pump panel or pump panel nearest to the valve. All ball valve drains will be $\frac{3}{4}$" lift handle type.</p>			
35.2.	Valve intake shall be equipped with minimum (3/4") bleeder valves controlled at the valve or pump panel.			
35.3.	All 2.5" or larger discharges shall be equipped with minimum 3/4" bleeder valves controlled at the valve or pump panel.			
35.4.	Drain and bleeder discharges shall terminate below the frame and heat pan of the apparatus.			
35.5.	Discharge drains and bleeder controls mounted at the pump panel shall be color coded to match the corresponding discharge			
36. PRIMING SYSTEM				
36.1.	<p>An air operated, 12-volt automatic operation, 2 location primer system will be installed.</p> <p>The panel rocker switch will have a "PRIME" position, "OFF", and an "AUTO" position. When pushed and held in the "PRIME" position, air will be supplied to the primer causing sufficient vacuum to prime the fire pump. Once prime is achieved, the operator can move the rocker switch to the "AUTO" position which will automatically restart the primer if the discharge pressure drops below 20-PSIG. An indicator light built into the rocker switch will be lit when the "AUTO" mode is engaged. An interlock on the wiring harness will be wired to allow for AUTOMATIC operation only when the "OK to pump indicator" light is ON.</p> <p>The panel will have a "PRIME" switch for the driver side master intake valve. This prime option is used in conjunction</p>			

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES
		Yes	No	
with the valve to accelerate drafting operations.				
37. ENGINE CONTROL				
37.1.	A FRC InControl 4 pressure governor and monitor shall be installed at pump operator's panel.			
37.2.	The following continuous displays shall be provided: <ul style="list-style-type: none"> • Engine RPM. • Battery voltage. • Engine coolant temperature. • Engine oil pressure. • Battery voltage. 			
38. MASTER GAUGES				
38.1.	Innovative Controls, 4.5" gauges shall be provided. The master intake and discharge gauges indicate pressure from -30hg to 600 PSI. The pressure gauge shall be filled with pulse and vibration dampening Interlube to lubricate the internal mechanisms to prevent lens condensation and to ensure proper operation to - 40 degrees C. To prevent internal freezing and to keep contaminants from entering the gauge, the stem and Bourdon tube shall be filled with low temperature material and be sealed from the water system using an isolating Sub Z diaphragm located in the stem. The gauges dial shall be provided with pressure measurement indication readings in kPa {kilopascals} in addition to Psi, providing dual pressure scales on the same dial.			
39. WATER LEVEL GAUGE				
39.1.	There shall be one (1) FRC Tankvision Pro 400 LED electronic water level gauge located on the operator's control panel.			
40. TEST PORT				
40.1.	Test port connections for pressure and vacuum shall be provided at the pump operator's panel. One shall be connected to the intake side of the pump, and the other to the discharge manifold side of the pump. They shall have 0.25 in. standard pipe thread connections and be manufactured of non-corrosive polished stainless steel or brass plugs.			
41. INTAKE RELIEF VALVE DISCHARGE				
41.1.	There shall be one (1) suction side stainless steel 2-1/2" intake relief pump valve with a discharge pipe that will exit			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<p>to the left (driver side) of truck, below heat pan.</p> <p>For normal pumping operations, the relief valve shall not be capped and there shall be a placard stating "DO NOT CAP" installed.</p>			
42. PUMP COOLER				
42.1.	There shall be a 3/8" line running from the pump to the water tank to assist in keeping the pump water from overheating. A quarter turn on/off valve shall be installed on the operator's panel.			
43. HEAT EXCHANGER				
43.1.	A closed-circuit auxiliary heat exchanger shall be installed with controls at the pump operator's panel. The system shall provide additional engine cooling capacity without the loss of coolant.			
43.1.	The operator must be able to shut off water to the heat exchanger from the pump panel. The intake water feed from the hydrant shall not feed the heat exchanger without the operator having opened the cooler valves on the pump panel.			
43.2.	Piping from the fire pump to the heat exchanger shall be with high pressure flexible hose lines with threaded copper fittings. The piping shall be installed to completely drain with no low points in the hose to prevent freezing.			
SUCTION				
44. SUCTION PORTS (6 INCH INTAKES)				
44.1.	A 6" pump manifold inlet shall be provided on each side of the pump.			
44.1.	The main pump inlets shall have National Standard Threads and include removable screens designed to provide cathodic protection for reducing deterioration in the pump.			
44.2.	There shall be two (2) 6" long handled chrome plated self-venting lug caps installed on the apparatus. The caps shall be National Standard Thread.			
45. LEFT SUCTION PORT (6 INCH INTAKE)				
45.1.	<p>One (1) Electric Master Inlet Intake Valve (MIV) shall be installed on the driver side.</p> <p>The valve shall be 6" NH and include a drain valve.</p>			
46. TANK SUCTION				
46.1.	One (1) 3" slow close valve shall be installed between the			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<p>water tank and the pump. The valve shall be a quarter turn ball type. The valve shall be controlled from the operator's panel. The supply line shall have a minimum 600 US GPM flow capacity and shall be flexible to allow movement between the tank and the pump module.</p> <p>A check valve shall be provided in the system to prevent pressurizing the water tank.</p>			
DISCHARGE				
47. DISCHARGE LEFT (DRIVER) SIDE				
47.1.	<p>There shall be two (2) gated discharge installed on the left side of the apparatus. They shall be provided with the following specified components:</p> <p>A 2.5" Akron Brass 8800 series swing-out valve with a stainless-steel ball.</p> <p>The discharge shall be controlled from the operator's panel.</p> <p>The plumbing shall consist of 2.5" piping and shall incorporate a manual drain control installed below the pump area for ease of access.</p> <p>The 30-degree swivel discharge with 2.5" CSA Male treads and 2.5" Female CSA self-venting cap, secured by a chain.</p> <p>An Innovative Controls, 2.5" (63mm) gauge shall be supplied for the discharge pressure reading of 0-400 psi. The gauge shall be white faced and black lettering.</p> <p>The gauge dial shall be provided with pressure measurement indication readings in KpA {kilopascals} in addition to psi, providing dual pressure scales on the same dial.</p>			
48. DISCHARGE RIGHT (OFFICER) SIDE - LARGE				
48.1.	<p>There shall be a large discharge installed on the right side of the apparatus with the following specified components:</p> <p>A 3" Akron Brass 8800 series slo-cloz swing-out valve with a stainless-steel ball.</p> <p>The discharge shall be controlled from the operator's panel.</p> <p>The plumbing shall consist of 4" piping and shall incorporate a manual drain control installed below the pump area for ease of access.</p> <p>The discharge termination shall include the following components:</p> <ul style="list-style-type: none"> • One (1) 4" NST Female swivel by 4" Storz cast aluminum 30-degree elbow. • One (1) 4" female Storz self-venting cap, secured by a chain. 			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<p>An Innovative Controls, 2.5" gauge shall be supplied for the discharge pressure reading of 0-400 psi. The gauge shall be white faced and black lettering.</p> <p>The gauge dial shall be provided with pressure measurement indication readings in kPa {kilopascals} in addition to Psi, providing dual pressure scales on the same dial.</p>			
49.	DISCHARGE RIGHT (OFFICER) SIDE			
49.1.	<p>There shall be a gated discharge installed on the right side of the apparatus with the following specified components:</p> <p>A 2.5" Akron Brass 8800 series swing-out valve with a stainless-steel ball.</p> <p>The discharge shall be controlled from the operator's panel.</p> <p>The plumbing shall consist of 2.5" piping and shall incorporate a manual drain control installed below the pump area for ease of access.</p> <p>The 30-degree swivel discharge with 2.5" NH Male treads and 2.5" Female NH to 1.5" NPSH self-venting cap, secured by a chain.</p> <p>An Innovative Controls, 2.5" gauge shall be supplied for the discharge pressure reading of 0-400 psi. The gauge shall be white faced and black lettering.</p> <p>The gauge dial shall be provided with pressure measurement indication readings in kPa {kilopascals} in addition to Psi, providing dual pressure scales on the same dial.</p>			
50.	CROSSLAY DISCHARGE – 1.5"			
50.1.	<p>Two (2) forward crosslays shall be installed on top of the pump module.</p> <p>These sections of the crosslay shall hold 200' of 1.5" double jacket fire hose on each side. A 1.5" NPSH mechanical swivel hose connector shall be used in each crosslay to provide access to hose in either direction.</p> <p>Each crosslay shall have one (1) 2" Akron brass 8800 series valve. The valve shall be a quarter turn ball type and fixed pivot design to allow easy operation at all pump pressures.</p> <p>Valve shall be controlled with a chrome-plated push/pull locking "T" handle mounted on the pump panel.</p> <p>There shall be Innovative Controls, 2.5" pressure gauge mounted on the panel near each control to indicate pressure. Each discharge shall also come equipped with a lift up $\frac{3}{4}$" drain valve. Each discharge must be capable of flowing 180 GPM or greater.</p>			

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES
		Yes	No	
51. TANK FILL LINE				
51.1.	One (1) 2" discharge with an Akron Brass 8800 series brass valve shall be plumbed to the tank. The valve shall be a quarter turn ball type and fixed pivot design to allow easy operation at all pump pressures. The 2" valve outlet terminates with 2" grooved connection. The valve shall be controlled from the operator's panel.			
TANK				
52. WATER TANK				
52.1.	The tank shall be Fire truck design with flat back, flattop, low center of gravity, low profile, design.			
52.2.	The tank shall be manufactured by Brayneck Canaplast Inc.			
52.3.	The water tank shall have a minimum capacity of 2000 US gallons. It shall be of a specific configuration and designed to meet the customer's requirements. The water tank shall be constructed of 1/2" thick copolymer material. The water tank shall be welded with Heavy Duty extruded joints inside and outside. The material shall be certified, high quality, non-corrosive, stress relieved thermoplastic. The tanks will be white in color. The tank shell thickness may vary depending on the application and may range from 1/2" to 1" as required. The unit shall incorporate transverse partitions manufactured with 3/8" copolymer material which shall interlock with a series of longitudinal partitions constructed of 3/8" copolymer. All swash partitions shall be designed to allow for maximum water and air flow between compartments and are fully welded to each other as well as to the tank's walls and floor. Tank will be baffled in accordance with NFPA 1900 requirements. The top of the tank is equipped with lifting points designed to facilitate tank removal.			
53. FILL TOWER				
53.1.	The tank shall be equipped with a combination vent/overflow and manual fill tower. The fill tower shall have a minimum OD of 14" x 14". The tower shall be in the portion in front of the tank. There shall be a vent / overflow installed inside and to the extreme rear of the tower approximately 2 1/2" down from the top of the fill tower. This vent / overflow shall be of a standard schedule 40 polypropylene pipe with minimum ID of 4". The vent / overflow shall be piped internally through the tank and designed to discharge water behind the rear wheels as required in NFPA 1900 to not interfere with rear tire			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	traction. The tower shall have a 3/8" thick removable copolymer screen and a stainless steel bolted hinged-type cover. The tank cover shall be constructed of 1/2" thick copolymer material, white in color. The top of the cover shall be engraved in blue, green, yellow, or black, indicating what the tower should receive.			
54.	SUMP			
54.1.	There shall be one (1) sump standard per tank. The sump shall be constructed of a minimum of 1/2" copolymer material and be in the left front quarter of the tank, unless specified otherwise. On all tanks that require a front suction, a 3" schedule 40 polypropylene pipe shall be installed from the front of the tank to the sump location and equipped with an anti-swirl plate located approximately 3" above the inside floor. The sump shall have a minimum 3" NPT threaded outlet on the bottom for a drain valve Akron brass 8800 series and valve shall be controlled from pump panel. This shall be used as a combination clean-out and drain.			
55.	TANK OUTLETS			
55.1.	There will be two (2) standard tank outlets: one (1) 3" for the tank-to-pump suction line, and one (1) 2" for tank fill line. All tank fill couplings shall be backed with a flow deflector especially designed to break up the stream of water entering the tank, and be capable of withstanding sustained fill rates of up to 1000 G.P.M.			
56.	2.5 and 4 INCH REAR TANK FILL			
56.1.	There shall be one (1) four (4) inch rear tank fill valve for direct tank fill lines on the rear left side of the apparatus. There shall be one (1) two and a half (2.5) inch rear tank fill valve for direct tank fill lines on the rear left side of the apparatus.			
56.2.	The valve shall have a drain to release pressure.			
56.3.	The 4" outlet will terminate with a 30 degree drop 4" Storz with cap. This shall be labelled "Tank Fill".			
56.4.	Placement of the tank fill shall allow for the use of hose wrenches for tightening and loosening of water fill hoses.			
57.	DUMP VALVE			
57.1.	Located at the lowest possible point for maximum water supply at the rear of the apparatus tank, there shall be a Ten (10) inch Stainless Steel 180-degree swivel dump chute installed.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
57.2.	The stainless-steel dump valve shall be manually opened and closed with one (1) control arm on top of dump chute.			
57.3.	Permanently attached to the dump shall be 8 inches by 12 inches Stainless Steel telescopic chute.			
57.4.	The rear dump valve shall be capable of discharging the water tank contents at a rate of 1800 GPM (minimum).			
58. HOSE BED				
58.1.	The apparatus hose bed compartment shall be provided on top of the water tank; it shall be smooth and free of sharp corners that may catch hose or couplings.			
58.2.	The hose bed shall be covered with black PVC Turtle-Tiles, to assist in air circulation and hose drying.			
58.3.	Adjustable width hose bed dividers constructed of aluminum shall be installed. The divider shall be reinforced as required to protect the divider from bending caused by shifting of the hoses. There shall be one (1) forward divider to separate a hose bed dunnage area where the water tank fill tower is located from the main hose bed. The divider shall be secured to the hose bed by utilizing adjustable track type channels and fasteners. The divider shall be the full length and depth of the hose bed. Two (2) adjustable hose bed dividers shall be supplied.			
58.4.	The hose bed shall be as large as possible, but hold the minimum required hose loads of the following: <ul style="list-style-type: none">• 800' of 4" hose• 600' of 2.5" hose• 500' of 1.5" hose			
58.5.	A heavy-duty UV-resistant vinyl cover for the hose bed will be supplied. The cover shall have an end flap with yellow Velcro attachments. A $\frac{1}{4}$ " aluminum bar will be sewn into the bottom hose bed tarp to ensure the flap remains downwards. Two (2) inch vinyl pouches with Velcro will be installed on each top side of the body to secure the tarp to the body. A 777 molding will be used at the front of the body to secure the tarp.			
59. TANK CERTIFICATION				
59.1.	All water tanks are fully inspected and tested for any leaks and defects. All tanks come with a tank certification that states the maximum fill rate, maximum fill pressure, tank weight, water and foam tank capacity, manufacturing date			

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES
		Yes	No	
and serial number.				
60. TANK MOUNTING				
60.1.	The tank shall be cradle mounted to the exact design suggested by the manufacturer and easily removed from the body. The tank shall be isolated from the cradle and chassis frame with 3" X 1" rubber sills.			
61. TANK WARRANTY				
61.1.	Brayneck Canaplast Inc. warrants each water tank, water skid tank and foam tank to be free from defects in material and workmanship for the service life of the original vehicle (a vehicle must be used for normal fire suppression applications). This warranty is transferable within the United States and Canada only with prior written approval by Brayneck Canaplast.			
62. INTERMEDIATE REAR PLATFORM				
62.1.	The intermediate rear platform shall be 12" in depth and shall be centered on the rear of the truck. The step shall be constructed of diamond back tread plate. The step shall be mounted on the flat back of the apparatus with gusset-type mounting to provide sufficient support for loading and deploying hoses and for gaining access to the hose-bed area.			
BODY DESIGN				
63. GENERAL REQUIREMENTS: Apparatus Body, substructure, and sub-frame				
63.1.	The apparatus body, substructure, and sub-frame shall be designed with sufficient carrying capacity for the weight of the specified hose, equipment, water, and to withstand the rigors of emergency service operations typical of a busy urban fire department.			
63.2.	To extend the service life of the vehicle, the body shall be separate and removable from the chassis frame and be able to be reinstalled on a new chassis.			
63.3.	Prior to the construction of this vehicle, various chassis attachments such as battery boxes, air reservoirs, mufflers and tail pipes, filters and other bolt-on frame attachments may be removed and relocated to permit full utilization of the chassis for equipment compartments. The equipment removed shall be relocated as noted in these specifications and/or remounted under the chassis frame or cab.			
63.4.	Fabrication shall be with inert gas continuously fed welders only. The use of stick type welding is not acceptable on body due to heat distortion.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
63.5.	<p>The entire body shall be of welded construction. The use of pop rivets in any portion of the construction of the vehicle will not be acceptable; this includes body sheet metal, inner pans of compartment doors, or any other portions of the body.</p> <p>Stainless steel bolts, nuts and stainless-steel sheet metal screws shall be used in mounting the exterior trim, hardware, or equipment.</p> <p>Dissimilar metals shall not come in immediate contact with each other to prevent corrosion and galvanic reaction.</p>			
64. BODY STRUCTURE				
64.1.	The aluminum body shall be designed for fire and rescue service operations. Commercially designed bodies intended for use in other applications are not acceptable due to lower levels of quality, construction, and longevity. The body module shall utilize a fully welded sub-frame, separate from the chassis, incorporated into the welded body under the structure.			
64.2.	The complete body shall be formed and welded, built with 5052H32 marine grade 0.188" (3/16") aluminum, with 0.125" (1/8") non-slip polished aluminum checker plate overlays.			
64.3.	All exterior lower compartments and walls shall have fully welded seams with all upper walls, compartments, and interior dividers having stitch welding every 6" minimum. All welding and sheet metal fabrication shall be completed with the highest degree of quality and precision. All welds and seams shall be caulked and sealed with permanent pliable silicone.			
64.4.	Strict attention shall be given to the elimination of hazards to personnel and equipment, such as rough edges, sharp corners, or protruding nuts and bolts. All exposed welded corners on aluminum checker plate shall be polished to a bright finish. All exposed sharp corners shall be radiused and deburred. All structural seams shall be fully seam welded. All other body seams and shall be welded on 6" centers and then silicone caulked prior to painting.			
64.5.	Due to the engineered combination of specifically chosen materials, no dissimilar metals shall be used in the body and its supporting substructure without being separated by a sufficient corrosion and electrolysis inhibitor. All holes shall be drilled prior to painting. Any holes drilled after painting which break the paint seal shall be treated as dissimilar metal and shall be suitably separated. This shall consist of isolation pads, ECK, and other structural adhesives.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
64.6.	The body shall be completely modular in design, thereby allowing its transfer to a new chassis without cutting or welding in the event of an accident or the replacement of the chassis. The apparatus body shall be form built and building a body directly on the chassis shall be not required or permitted.			
64.7.	The body and tank shall be supported with over the frame cross tubing. These tubes shall be aluminum extrusions with a minimum dimension of 2" x 3" x 0.250" thickness. The exterior side compartments shall have an aluminum angle welded to cross channels and rear compartment walls. The front to rear angle shall be a minimum of 3.5" x 5" x .375" thickness extrusion.			
64.8.	The compartment floors shall be 0.188" aluminum and shall be sweep out construction design, which shall permit easy cleaning of the compartments. The outer flange of the compartment floors shall be fabricated to form a mounting area of exterior rub rails. This flange shall be a minimum of 3.5" vertical dimension, full width of the compartment floor.			
64.9.	The front entrance to the compartment shall have a 2" deep x 1" high recess break for mounting of compartment doors.			
64.10.	Each compartment shall include one (1) 4" circular vent with screen.			
64.11.	Each compartment shall be finished with a full height Unistrut channel. All full-depth compartments shall include two (2) channels on the left wall and two (2) channels on the right-side wall. All half depth compartments shall include one (1) channel on the left wall and one (1) on the right-side wall.			
64.12.	Each compartment shall include a drain hole in the left and right rear corners to allow wash-out and water drainage.			
64.13.	The front face of the body shall be finished with a 0.125" aluminum checker plate overlay. The rear of the body shall be unpainted smooth aluminum covered by ULC and NFPA required reflective chevrons.			
64.14.	The top of the storage compartments shall be 0.125" non-slip NFPA aluminum checker plate and shall be bolted to the body with stainless steel bolts.			
64.15.	The body shall be mounted to the chassis frame with floating spring attachment mounts and ridged mounts. These spring mounts shall allow the chassis to twist and bend independently from the body and shall prolong the structural life of the body. This combination of mounts shall be installed as per the chassis manufacturer recommendations.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
64.16.	All mounts to the chassis frame shall have rubber block isolators to permit movement of the chassis frame under the apparatus body.			
64.17.	The body shall be grounded to the chassis frame with a minimum of two (2) body ground straps mounted metal to metal contact and coated with dielectric grease.			
65. REAR WHEEL WELLS				
65.1.	The outer wheel well fenders and wheel well liners shall be integral to the compartments and constructed of 0.188" smooth aluminum. Both shall be painted red and the wheel well liners covered with black gravel guard.			
66. LEFT-SIDE BODY COMPARTMENTS				
66.1.	Compartment - L1 The compartment dimensions shall be approximately 57" wide by 28" deep by 29" high. This compartment shall include: <ul style="list-style-type: none">• One (1) pull out full depth tray			
66.2.	Compartment - L2 The compartment dimensions shall be approximately 34" wide by 28" deep by 29" high. This compartment shall include: <ul style="list-style-type: none">• One (1) pull out full depth tray.			
66.3.	Compartment - L3 Internal storage of One 10' (ten feet) length of 6" Hard suction intake hose.			
67. RIGHT-SIDE BODY COMPARTMENTS				
67.1.	Compartment - R1 The compartment dimensions shall be 57" wide by 28" deep by 29" high. This compartment shall include: <ul style="list-style-type: none">• One (1) pull out full depth tray.			
67.2.	Compartment - R2 The compartment dimensions shall be approximately 34" wide by 28" deep by 29" high. • One (1) pull out full depth tray.			
67.3.	Compartment - R3 Internal storage of One 10' (ten feet) length of 6" Hard suction intake hose.			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL	Yes	No	NOTES
--	---	-----	----	-------

68.	ROLL-UP STYLE - COMPARTMENT DOORS			
68.1.	<p>Compartments shall be equipped with Amdor brand roll-up anodized aluminum doors complete with the following features:</p> <ul style="list-style-type: none"> • Amdor Luma Bar LED strip lighting, integral to the door frame on both sides of the door • 1" aluminum double wall slats with continuous ball & socket hinge joint designed to prevent water ingress and weather tight recessed dual durometer seals • double wall reinforced bottom panel with stainless steel lift bar latching system • bottom panel flange with cut-outs for ease of access with gloved hands, reusable slat shoes with positive snap-lock securement • smooth interior door curtain to prevent equipment hang-ups • one-piece aluminum door track / side frame • top gutter with non-marring seal • non-marring recessed side seals with UV stabilizers to prevent warping • dual leg bottom seal, with all wear component material to be Type 6 Nylon • A door ajar switch system shall be provided by Amdor and shall include magnetic proximity-based components. The switch device shall be a military grade contact switch capable of meeting MIL-S-8805 which can only be activated through positive engagement of the lift bar. The door striker will include support beneath the lift bar to prevent door curtain bounce. 			
69.	ROLL-OUT TRAYS			
69.1.	<p>There shall roll-out trays provided, constructed of 0.188" 5052 H32 marine grade aluminum. The trays shall have 2" edges on all sides of the shelf, with fully welded corners.</p> <p>The trays shall include sliding aluminum mechanisms, 3 stage 100% extension with a 500lb. capacity.</p>			
69.2.	All trays shall be unpainted aluminum.			
69.3.	All trays shall include red and lime reflective tape on all sections of the tray that protrude from the side of the apparatus body			

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES	
		Yes	No		
70. PORTA TANK STORAGE					
70.1.	A Ziamatic Quik-Lift electric portable water tank rack shall be installed on the left and right side above the compartments of the apparatus. The racks shall be powered by two (2) electric actuators rated at 1,000 lbs. which will allow for lowering the racks down against the side of the apparatus for tank removal and return the racks to the stored position. The racks shall be made of aluminum plate. Each Zico Porta Tank rack will store: <ul style="list-style-type: none">• One (1) – 1500 US GAL porta tank				
71. TAILBOARD					
71.1.	A bolt on DIAMOND BACK tailboard shall be installed on the rear of the apparatus spaced out from the body to provide drainage. The step shall be bolted to the body frame and finished with a safety grip or similar material to provide a durable anti-slip surface. The tailboard shall extend across the full width of the vehicle and shall extend out from the body sufficiently for standing while loading the hose				
72. HANDRAILS					
72.1.	Aluminum handrails with knurled finish shall be installed on the rear of the apparatus, tank and pump panel area as required to provide for three (3) point contact when climbing or mounting the tailboard and climbing onto the hose bed.				
73. RUB RAIL					
73.1.	Aluminum "C" channel rub rails shall be installed along the full length of the body. The rub rails shall be bolted on the exterior edge of the compartment floors, spaced from the body.				
73.2.	The rub rails shall extend to a minimum of 1" from compartment doors.				
74. TOW EYES					
74.1.	Two (2) screw-in drop forged tow eyes or brackets shall be installed on the apparatus. Tow eyes or brackets shall be secured directly to the rear of chassis frame.				
75. REAR WHEEL FENDERETTES					
75.1.	Polished stainless steel fenderettes shall be bolted at each rear wheel opening. The fenderettes shall be positioned outside of the wheel well panel to cover any tire area that extends past the body.				

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES	
		Yes	No		
76. COMPARTMENT FLOORING					
76.1.	There shall be black PVC Turtle Tile protective flooring provided. The following locations shall include the flooring: <ul style="list-style-type: none"> • All roll-out trays 				
77. MUD FLAPS					
77.1.	Mud flaps shall be installed behind the front and rear wheels to protect the body and components from road spray.				
78. LICENSE PLATE HOLDER					
78.1.	There shall be one (1) Cast Products Inc. LP-0005-1-A polished cast aluminum license plate holder with LED light mounted at the rear of the apparatus.				
ELECTRICAL					
79. ELECTRICAL SYSTEMS					
79.1.	Shall be a 12-volt electrical system (NFPA 1900- Most Current Edition Standards.)				
79.2.	All wiring shall be of the design type GXL and size appropriate for the anticipated circuit loads.				
79.3.	All wiring shall be protected from heat and physical damage. Wiring shall be color coded and labelled on the insulation every 4" minimum. Wires outside of the cab or body shall be in loom and coded.				
79.4.	All terminals shall be crimping type, with insulated shanks or stud type bolted. Deutsch connectors or equivalent shall be utilized where possible.				
79.5.	All terminals and components in exposed areas shall be protected from the elements. Exposed area is defined as any area outside of the cab or body. Deutsch connectors shall be utilized on all outside connections.				
79.6.	The entire body and chassis electrical system shall be protected by automatic re-settable circuit breakers or fuses. Load does not exceed 80% of breaker or circuit ratings.				
79.7.	Lighted rocker type switches shall be used in the cab area to indicate when the switch is in the "on" position.				
79.8.	A master battery disconnect switch shall be used to activate the system and provide power to the power panel. A green pilot light (Battery on) shall illuminate to indicate that the battery bank is activated.				
79.9.	Individual body components such as the cab and compartments shall be grounded to each side of the frame				

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	with grounding cables.			
80. CENTER CONSOLE				
80.1.	A center console equipment box shall be installed inside the cab. Centre console shall be constructed of 1/8"aluminum. The console shall be Poly-Armour painted black.			
81. DOOR AJAR				
81.1.	Compartment door "ajar" warning light and buzzer shall be installed according to most current NFPA 1900 requirements.			
82. CHARGER, COMPRESSOR AND SHORELINE POWER				
82.1.	A Kussmaul Auto Charge Chief 4012 Model #091-266-12-40 shall be installed inside the cabin and connected to the shoreline power receptacle.			
82.2.	A Kussmaul Super 20 Auto Eject and Charger Status Bar Graph Display Model #091-055-51266-YW shall be mounted on the pump panel to provide 120-volt shoreline power to the battery charger, one (1) 120-volt power outlet in cab and the power outlet(s) in body compartment(s). The receptacle shall be in a conspicuous location visible to the driver when entering the cab.			
82.3.	A Kussmaul air compressor Model #091-9HP 120-volt shall be mounted inside the pump module. Power for the compressor shall be provided from the Auto Eject shore power.			
83. MOBILE RADIO REQUIREMENTS				
83.1.	The center console will have radio provisions as follows. <ul style="list-style-type: none"> • Fused 12-volt master switched power • Fused 12-volt ignition switched power • Ground bus bar connection point 			
83.2.	The vehicle shall be adequately radio interference suppressed to permit understandable voice radio communications under all operating conditions.			
83.3.	An antenna base, for use with an NMO type antenna, shall be mounted centered on the cab roof so not to interfere with light bars or other roof mounted equipment.			
83.4.	The antenna cable shall be routed from the antenna base mounted on the roof to the area inside the center of the console.			
OPTICAL WARNING SYSTEM CONTROL, SIREN AND LIGHTING				

MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL				NOTES
		Yes	No	
84. OPTICAL WARNING SYSTEM AND LIGHTING				
84.1.	Optical Warning System and Lighting shall comply with NFPA Standard 1900 Most Current Edition. Certification that the system has been installed within the geometric parameters shall be provided with the apparatus on delivery.			
84.2.	Emergency lighting control panel/switches to be mounted on the top of the center console.			
84.3.	The electrical body system shall be a Whelen multiplex system.			
84.4.	A Whelen WCX Cencom Core #CCTL6 controller shall be installed in center console.			
84.5.	One (1) 100-watt Whelen siren speaker shall be flush mounted in front left section of the bumper.			
84.6.	A Whelen NFPA 72" Federal IV lightbar with clear lens configured with white, red, and blue LED lights installed on the roof of the cab.			
84.7.	When the parking brake is applied all white warning lights shall be deactivated in the light bar.			
84.8.	Two (2) Whelen M Series - one (1) Model # M6RC and one (1) Model # M6BC LED warning lights with clear lenses and chrome bezel Model # M6FC shall be installed on the front grille.			
84.9.	Two (2) Whelen M Series - one (1) Model # M6RC and one (1) Model # M6BC LED warning lights with clear lenses and chrome bezel Model # M6FC shall be installed forward of the front axle centerline and as close to the front corner of the apparatus as practical.			
84.10.	Two (2) Whelen M Series - one (1) Model # M6RC and one (1) Model # M6BC LED warning lights with clear lenses and chrome bezel Model # M6FC shall be installed forward of the rear axle centerline.			
84.11.	Two (2) Whelen M Series - one (1) Model # M6RC and one (1) Model # M6BC LED warning lights with clear lenses and chrome bezel Model # M6FC shall be installed behind the rear axle centerline and as close to the rear corner of the apparatus as practical.			
84.12.	Two (2) Whelen M Series - one (1) Model # M6RC and one (1) Model # M6BC LED warning lights with clear lenses shall be installed behind in the rear facing brake lights clusters provided on the rear of the body.			
85. COMBINATION WARNING AND SCENE LIGHT				
85.1.	Two (2) Whelen M Series - one (1) Model # M9V2RC and one			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	(1) Model # M9V2BC combination 180° warning/perimeter light with chrome bezel Model # M9FC shall be installed at the most forward point of the body side as high as possible.			
85.2.	Two (2) Whelen M Series - one (1) Model # M9V2RC and one (1) Model # M9V2BC combination 180° warning/perimeter light and chrome bezel Model # M9FC shall be installed at the most rear point of the body side, as high as possible.			
85.3.	Two (2) Whelen M Series - one (1) Model # M9V2RC and one (1) Model # M9V2BC combination 180° warning/perimeter light and chrome bezel Model # M9FC shall be installed at the back of the body as high as possible, in each corner.			
85.4.	The rear scene lights shall come on when the truck is put in reverse.			
86. BRAKE LIGHT CLUSTER				
86.1.	There shall be two (2) rear facing brake light clusters provided on the rear of the body. Each cluster shall include the following: <ul style="list-style-type: none"> • One (1) C62BTT red Whelen LED brake/taillight. • One (1) C62T amber Whelen LED arrow turn indicator. • One (1) C62BU white Whelen LED back-up light. • One (1) open location for warning light (M6RC or M6BC). • One (1) M6FCV4 chrome plated Whelen bezel. 			
87. TRAFFIC ADVISOR				
87.1.	Whelen Traffic Advisor™ model # TAL65 shall be installed at rear of the apparatus as high as possible. The controls for the TAL65 shall be mounted in the center console. The directional light bar shall have a protective cover to protect it from objects coming from the hose bed.			
88. GROUND LIGHTS				
88.1.	Amdor Luma Bar H2O (High Output) led lights shall be installed on the apparatus. <ul style="list-style-type: none"> • Two (2) twelve-inch H2O shall be installed under chassis steps. One (1) on each side. • Two (2) twelve-inch H2O shall be installed under pump module. One (1) each side. • Four (4) twelve-inch H2O shall be installed, one (1) under each compartment (L1, L2, R1, R2). 			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<ul style="list-style-type: none"> Two (2) twenty-inch H2O shall be installed under the rear tailboard <p>The lights shall be mounted to prevent accidental breakage.</p> <p>The lights shall be activated automatically when the parking brake is applied. Individual switch(s) shall not be installed.</p> <p>This shall be deemed to meet the individual door switching requirements of NFPA 1900- Most Current edition.</p>			
89. CHASSIS STEP LIGHT				
89.1.	Four (4) TecNiq LED step light part #D07 shall be installed on the chassis to illuminate the top step. Two (2) each side.			
89.2.	Four (4) TecNiq LED step light part #D07 shall be installed on the chassis to illuminate the first step. Two (2) each side.			
89.3.	Two (2) TecNiq LED step light part #D07 shall be installed between the rear ladder steps.			
89.4.	The lights shall be activated automatically when the parking brake is applied. Individual switch(s) shall not be installed.			
<p>This shall be deemed to meet the individual door switching requirements of NFPA 1900- Most Current edition.</p>				
90. REAR FOLDING LADDER				
90.1.	An aluminum folding ladder will be installed on the rear driver side of the apparatus. The ladder will fold in the stowed position allowing sufficient space for the quick-dump chute to rotate 180 degrees.			
91. COMPARTMENT LIGHTING				
91.1.	Four (4) compartments, each with two (2) Amdor Luma Bar LED lights, integral to door construction shall be installed.			
91.2.	The door switches shall be magnetic; switches shall be protected from physical damage and activate a light in the cab to indicate compartment door open condition. When the parking brake is released, the light will flash, and an audible alarm will sound. This shall be deemed to meet the individual door switching requirements of NFPA 1900- Most Current edition.			
91.3.	The compartment lighting shall be activated by opening the roll up doors.			
92. HOSE BED LIGHTING				
92.1.	<p>There shall be lights provided to illuminate the hose bed for nighttime loading. The following lights shall be supplied:</p> <ul style="list-style-type: none"> Two (2) TecNiq S17-RR0P-1 lights. One (1) on each side of all hose bed dividers. 			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	<ul style="list-style-type: none"> The lights shall be activated automatically when the parking brake is applied. This shall be deemed to meet the individual door switching requirements of NFPA 1900- Most Current edition. 			
93. ENGINE COMPARTMENT LIGHTING				
93.1.	<p>One (1) twelve-inch Amdor Luma Bar H2O (High Output) LED light shall be installed under the chassis hood to illuminate the engine.</p> <p>The lights shall be activated automatically when the parking brake is applied. Individual switch(s) shall not be installed. This shall be deemed to meet the individual door switching requirements of NFPA 1900- Most Current edition.</p>			
94. PUMP COMPARTMENT LIGHTS				
94.1.	One (1) twelve-inch Amdor Luma Bar H2O LED (High Output) light shall be installed in the pump compartments. The light shall activate with the pump panel lights switch.			
95. SIDE TURN/MARKER LIGHTS				
95.1.	The sides of the body shall include two (2) Weldon part # 9186-8580-29 LED round turn signal /side marker lights shall be installed in front of rear axle.			
96. BODY CLEARANCE LIGHTS				
96.1.	LED identification lights and reflectors shall conform to Canadian Motor Vehicle Safety Standards as well as Ontario Ministry of Transportation standards. The red and amber light shall be made by TecNiq and the part number is S33-RR-OP-01 and S33-AA-OP-01. All lower identification lighting shall be located within the rub rails for protection.			
97. CAMERA SYSTEM				
97.1.	<p>There shall be a Fire Research inView™ TrueSight™ model BCA111-A00 kit to include:</p> <ul style="list-style-type: none"> One (1) 130° camera with 18 infrared illuminators. One (1) 7" digital monitor <p>Camera shall be located at the rear of apparatus as high as possible</p> <p>The 7" colour screens and controls shall be located inside the cab on the driver side.</p> <p>A forward facing Dash-cam shall be installed with download data capabilities.</p>			
FINISHING				

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
98.	PAINT WARRANTY			
98.1.	The cab and chassis shall be covered by a limited manufacturer paint warranty which shall be in effect for ten (10) years from the first owner's date of purchase or in service or the first 100,000 actual kilometers, whichever occurs first.			
99.	CHASSIS			
99.1.	The chassis shall be painted during factory construction. Color is to be Elite L1132EY is to be used.			
100.	BODY			
100.1.	The aluminum body exterior shall have all mounted components removed prior to painting, to ensure the full coverage of metal preparations. The body shall be painted to match the chassis.			
100.2.	All roll up doors and accessories shall be installed after painting to assure the proper paint coverage of the body.			
100.3.	The metal surface shall be sanded to remove all burs and imperfections in the aluminum before preparation for painting.			
100.4.	The metal surface shall be cleaned and prepped with solvent and washed with fresh water to remove oxidization and other surface contaminants, to give a bright, conditioned, and chemically etched surface for finishing. The aluminum surface shall be conditioned with a conversion chemical treatment and washed with fresh water to produce a corrosion resisting conversion coating, to prevent oxidization and other surface contaminants, leaving a surface that allows excellent paint adhesion.			
100.5.	The aluminum surface shall have a spray on, wash primer, to seal and provide a smooth surface for final coats.			
100.6.	The aluminum body shall be painted with a high luster urethane paint to match the chassis red from the factory.			
101.	FIRE DEPARTMENT GRAPHICS – FULL PACKAGE			
101.1.	All graphics shall be applied prior to apparatus delivery. A graphics layout must be provided prior to application to confirm accuracy and signed off by the fire department. Failure to do this is grounds for rejection if the graphics package is incorrect. The following shall be supplied: <ul style="list-style-type: none"> • Up to 1"x 4" x 1" white reflective stripe along the perimeter of the apparatus • Up to 100 x 4" or smaller white/black shadow 			

	MUNICIPALITY OF WEST NIPISSING PUMPER TANKER 2000 US GAL			NOTES
		Yes	No	
	reflective letters.			
102. REFLECTIVE CHEVRONS				
102.1.	<p>The rear wall of the body shall have red and fluo-lime retroreflective 6" chevrons installed as per the requirements of ULC and NFPA.</p> <p>The front bumper shall have red and fluo-lime retroreflective 6" chevrons installed.</p>			
EQUIPMENT				
103. LOOSE EQUIPMENT				
103.1.	<ul style="list-style-type: none"> • Two (2) 28oz Vinyl Husky Porta tank 1500 US GAL • Two (2) 6" x 10' long handle hard suction hoses • One (1) 6" barrel strainer • One (1) 6" low level jet siphon strainer • One (1) 2.5" CSA female thread to a 4" Stortz adapter • One (1) set of rubber wheel chocks • One (1) truck first aid kit • One (1) roadside emergency triangle kit • One (1) 5lbs ABC dry chemical extinguisher • One (1) Rubber Mallet 			
<p>All additional loose equipment required by to ULC or NFPA test the apparatus shall be provided by and installed by The Fire Department prior to apparatus entry into service.</p>				
END OF SPECIFICATIONS				